

# Package: rappsflyer (via r-universe)

September 5, 2024

**Type** Package

**Title** Work with AppsFlyer API

**Version** 0.2.0

**Date** 2021-03-18

**Author** Alexey Seleznev [aut, cre]  
(<https://orcid.org/0000-0003-0410-7385>)

**Maintainer** Alexey Seleznev <selesnow@gmail.com>

**Description** Loading data from AppsFlyer Pull API  
(<https://support.appsflyer.com/hc/en-us/articles/207034346-Using-Pull-API-aggregate-data>).

**License** MIT + file LICENSE

**Imports** httr, stringr, retry, dplyr, tidyr, lgr

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**Encoding** UTF-8

**Language** ru

**LazyData** true

**Repository** <https://selesnow.r-universe.dev>

**RemoteUrl** <https://github.com/selesnow/rappsflyer>

**RemoteRef** HEAD

**RemoteSha** b21ec42e1b564d1358186b6d35b1c1788d7ff573

## Contents

rappsflyer-package . . . . .	2
af_get_ad_revenue_raw_data . . . . .	2
af_get_aggregate_data . . . . .	4
af_get_data . . . . .	5
af_get_raw_data . . . . .	7
af_get_targeting_validation_rules . . . . .	9
af_set_api_token . . . . .	10

**Index****12**


---

 rappsflyer-package      *Work with AppsFlyer API*


---

**Description**

Loading data from AppsFlyer Pull API <<https://support.appsflyer.com/hc/en-us/articles/207034346-Using-Pull-API-aggregate-data>>.

**Details**

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

**Author(s)**

Alexey Seleznev [aut, cre] (<<https://orcid.org/0000-0003-0410-7385>>) Maintainer: Alexey Seleznev <selesnow@gmail.com>

---

 af\_get\_ad\_revenue\_raw\_data  
                                   *Get ad revenue raw data*


---

**Description**

Get ad revenue raw data from AppsFlyer Pull API

**Usage**

```
af_get_ad_revenue_raw_data(
  date_from = Sys.Date() - 8,
  date_to = Sys.Date() - 1,
  report_type = c("ad_revenue_raw"),
  is_organic = FALSE,
  additional_fields = c("device_model",
                       "keyword_id",
                       "store_reinstall",
                       "deeplink_url",
                       "oaid",
                       "ad_unit",
                       "segment",
                       "placement",
                       "monetization_network",
```

```
        "impressions",
        "mediation_network",
        "is_lat"),
  timezone = "Europe/Moscow",
  retargeting = NULL,
  maximum_rows = 1000000,
  app_id = getOption("apps_flyer_app_id"),
  api_token = getOption("apps_flyer_api_key"))
```

### Arguments

date_from	Reporting start date.
date_to	Reporting finish date.
report_type	Report type. now it's only ad_revenue_raw.
is_organic	If TRUE you get only organic data.
additional_fields	Character vector of report's additional fields.
timezone	Your timezone, for example Europe/Moscow.
retargeting	If TRUE you get retargeting data.
maximum_rows	Report rows limit.
app_id	Your app id from apps flyer.
api_token	Your AppsFlyer API token V1.0 for more details go <a href="#">link</a> .

### Author(s)

Alexey Seleznev

### See Also

[AppsFlyer Pull API documentation](#)

### Examples

```
## Not run:
af_set_api_token("Your API token")

ad_data <- af_get_ad_revenue_raw_data(
  date_from = "2021-03-01",
  date_to   = "2021-03-15",
  app_id    = "id0001111"
)

## End(Not run)
```

---

af\_get\_aggregate\_data *Get AppsFlyer aggregate data*

---

## Description

Get AppsFlyer Aggregate (user acquisition and retargeting) data

## Usage

```
af_get_aggregate_data(
  date_from = Sys.Date() - 8,
  date_to = Sys.Date() - 1,
  report_type = c("daily_report",
                 "partners_report",
                 "partners_by_date_report",
                 "geo_report",
                 "geo_by_date_report"),
  additional_fields = c("keyword_id",
                      "store_reinstall",
                      "deeplink_url",
                      "oaid",
                      "install_app_store",
                      "contributor1_match_type",
                      "contributor2_match_type",
                      "contributor3_match_type",
                      "match_type"),
  media_source = NULL,
  attribution_touch_type = NULL,
  currency = NULL,
  timezone = "Europe/Moscow",
  retargeting = NULL,
  app_id = getOption("apps_flyer_app_id"),
  api_token = getOption("apps_flyer_api_key"))
```

## Arguments

date_from	Reporting start date.
date_to	Reporting finish date.
report_type	Report type. One of: daily_report, partners_report, partners_by_date_report, geo_report, geo_by_date_report. For more details go to Integration > API access in AppsFlyer Web UI.
additional_fields	Character vector of report's additional fields.
media_source	Use to limit (filter) to a specific media source. for example, if you need inly facebook data in your report use media_source="facebook".



```

        "c",
        "af_c_id",
        "geo"),
  metrics = c("impressions",
             "clicks",
             "installs",
             "sessions",
             "loyal_users",
             "cost",
             "revenue",
             "uninstalls"),
  filters = NULL,
  currency = NULL,
  timezone = "Europe/Moscow",
  app_id = getOption("apps_flyer_app_id"),
  api_token = getOption("apps_flyer_api_key")
)

```

### Arguments

date_from	Reporting start date.
date_to	Reporting finish date.
dimensions	Character vector. These dimensions are used for collecting the data into groups to allow easier and more accurate examination of the information.. For more details see <a href="#">docs</a> .
metrics	KPIs are the metrics used for gaining an insight into the behavior of your app. For more details see <a href="#">docs</a> .
filters	Data filter expression, for example filters=="geo=US,DE".
currency	Monetary values are in the app-specific currency. Example: currency="preferred"
timezone	Time zone used is according to the app-specific timezone. Example: timezone="Europe/Moscow"
app_id	Your app id from apps flyer.
api_token	Your AppsFlyer API token V1.0 for more details go <a href="#">link</a> .

### Author(s)

Alexey Seleznev

### See Also

[Master API documentation Field dictionary](#)

### Examples

```

## Not run:
af_set_api_token("Your API token")

ad_data <- af_get_data(

```

```

    date_from = "2021-03-01",
    date_to   = "2021-03-15",
    app_id    = "id0001111"
)

## End(Not run)

```

---

af_get_raw_data	<i>Get AppsFlyer raw data reports</i>
-----------------	---------------------------------------

---

## Description

Get AppsFlyer organic and non-organic raw data reports

## Usage

```

af_get_raw_data(
  date_from = Sys.Date() - 8,
  date_to   = Sys.Date() - 1,
  report_type = c("installs_report",
                  "in_app_events_report",
                  "uninstall_events_report"),
  media_source      = NULL,
  category          = NULL,
  event_name       = NULL,
  currency         = NULL,
  is_organic       = FALSE,
  additional_fields = c("device_model",
                        "keyword_id",
                        "store_reinstall",
                        "deeplink_url",
                        "oaid",
                        "install_app_store",
                        "contributor1_match_type",
                        "contributor2_match_type",
                        "contributor3_match_type",
                        "match_type",
                        "device_category",
                        "gp_referrer",
                        "gp_click_time",
                        "gp_install_begin",
                        "amazon_aid",
                        "keyword_match_type",
                        "att",
                        "conversion_type",
                        "campaign_type",
                        "is_lat"),

```

```

timezone = "Europe/Moscow",
retargeting = NULL,
maximum_rows = 1000000,
app_id = getOption("apps_flyer_app_id"),
api_token = getOption("apps_flyer_api_key")

```

### Arguments

date_from	Reporting start date.
date_to	Reporting finish date.
report_type	Report type. One of: installs_report, in_app_events_report, uninstall_events_report. For more details go to Integration > API access in AppsFlyer Web UI.
media_source	Use to limit (filter) to a specific media source. for example, if you need inly facebook data in your report use media_source="facebook".
category	Traffic source category filter, for examplr category="standard".
event_name	Filter in-app events by specified events. Select multiple events by using a character vector. For example: event_name = c( "af_purchase", "ftd" ).
currency	Currency of the revenue and cost.
is_organic	If TRUE you get only organic data.
additional_fields	Character vector of report's additional fields.
timezone	Your timezone, for example Europe/Moscow.
retargeting	If TRUE you get retargeting data.
maximum_rows	Report rows limit.
app_id	Your app id from apps flyer.
api_token	Your AppsFlyer API token V1.0 for more details go <a href="#">link</a> .

### Author(s)

Alexey Seleznev

### See Also

[AppsFlyer Pull API documentation](#)

### Examples

```

## Not run:
af_set_api_token("Your API token")

raw_data <- af_get_raw_data(
  date_from = "2021-03-01",
  date_to   = "2021-03-15",
  report_type = "installs_report",
  app_id    = "id0001111"
)

## End(Not run)

```



---

```
af_get_targeting_validation_rules
    Get targeting validation rules
```

---

**Description**

Get targeting validation rules from AppsFlyer

**Usage**

```
af_get_targeting_validation_rules(
    date_from          = Sys.Date() - 8,
    date_to            = Sys.Date() - 1,
    report_type        = c("invalid_installs_report",
                          "invalid_in_app_events_report"),
    additional_fields  = c("device_model",
                          "keyword_id",
                          "store_reinstall",
                          "deeplink_url",
                          "oaid",
                          "rejected_reason",
                          "rejected_reason_value",
                          "contributor1_match_type",
                          "contributor2_match_type",
                          "contributor3_match_type",
                          "match_type",
                          "device_category",
                          "gp_referrer",
                          "gp_click_time",
                          "gp_install_begin",
                          "amazon_aid",
                          "keyword_match_type",
                          "att",
                          "conversion_type",
                          "campaign_type",
                          "is_lat"),
    timezone           = "Europe/Moscow",
    maximum_rows       = 1000000,
    app_id              = getOption("apps_flyer_app_id"),
    api_token           = getOption("apps_flyer_api_key")
)
```

**Arguments**

date_from	Reporting start date.
date_to	Reporting finish date.

report_type	Report type. One of: invalid_installs_report, invalid_in_app_events_report. For more details go to Integration > API access in AppsFlyer Web UI.
additional_fields	Character vector of report's additional fields.
timezone	Your timezone, for example Europe/Moscow.
maximum_rows	Report rows limit.
app_id	Your app id from apps flyer.
api_token	Your AppsFlyer API token V1.0 for more details go <a href="#">link</a>

**Author(s)**

Alexey Seleznev

**See Also**

[AppsFlyer Pull API documentation](#)

**Examples**

```
## Not run:
af_set_api_token("Your API token")

inv_data <- af_get_targeting_validation_rules(
  date_from = "2021-03-01",
  date_to   = "2021-03-15",
  report_type = "invalid_installs_report",
  app_id     = "example.app.com"
)

## End(Not run)
```

---

af_set_api_token	<i>Set AppsFlyer API token</i>
------------------	--------------------------------

---

**Description**

Set AppsFlyer API token in current R session

**Usage**

```
af_set_api_token(api_token)
```

**Arguments**

api\_token      Your AppsFlyer API token.

**Author(s)**

Alexey Seleznev

**See Also**

For more details go [link](#)

**Examples**

```
## Not run:  
af_set_api_token("Your API token")  
  
## End(Not run)
```

# Index

## \* package

rappsflyer-package, [2](#)

af\_get\_ad\_revenue\_raw\_data, [2](#)

af\_get\_aggregate\_data, [4](#)

af\_get\_data, [5](#)

af\_get\_raw\_data, [7](#)

af\_get\_targeting\_validation\_rules, [9](#)

af\_set\_api\_token, [10](#)

rappsflyer (rappsflyer-package), [2](#)

rappsflyer-package, [2](#)